	Application No.	Applicant(s)
Notice of Allowability	10/004 107	NEMECEK ET AL
	10/004,197 Examiner	NEMECEK ET AL. Art Unit
	Jason Proctor	2123
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. ☑ This communication is responsive to <u>Response submitted 5 July 2006</u> .		
2. The allowed claim(s) is/are 1 and 3-21.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amendn	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
		•

Application/Control Number: 10/004,197

Art Unit: 2123

DETAILED ACTION

Applicants' response of 5 July 2006 has amended claims 1, 13, and 21; and cancelled

claim 2. Claims 1 and 3-21 are pending in this application.

Claims 1 and 3-21 are allowed.

Claim Objections

The previous objections to claim 13 are withdrawn in response to Applicants'

amendments thereto.

Claim Rejections - 35 USC § 102

The previous rejections of claims 1-21 under 35 U.S.C. § 102 are withdrawn in response

to Applicants' response submitted on 5 July 2006. These amendments correspond to the

indication of allowable subject matter in the previous office action.

Allowable Subject Matter

Claims 1 and 3-21 are allowed.

The following is an examiner's statement of reasons for allowance:

The limitations of

(claim 1) "a gatekeeper clock running independent of the microcontroller clock," and

Page 2

Art Unit: 2123

(claims 13 and 21) "running said gatekeeper clock independent of the microcontroller clock,"

in the context of the recited limitations are not disclosed in the closest prior art. The limitation is supported by the disclosure and exemplified in FIG. 8, reference 610. Although a separate and independent gatekeeper clock may be known in the prior art, such a modification would destroy the Grunert reference because the "gatekeeper circuit" is a component function of microcontroller 3, which is naturally driven by the microcontroller clock 5 (see column 2, lines 58-59; column 5, lines 8-9).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Proctor whose telephone number is (571) 272-3713. The examiner can normally be reached on 8:30 am-4:30 pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Rodriguez can be reached at (571) 272-3753. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Application/Control Number: 10/004,197

Art Unit: 2123

Page 4

g/adoc

Any inquiry of a general nature or relating to the status of this application should be

directed to the TC 2100 Group receptionist: 571-272-2100. Information regarding the status of

an application may be obtained from the Patent Application Information Retrieval (PAIR)

system. Status information for published applications may be obtained from either Private PAIR

or Public PAIR. Status information for unpublished applications is available through Private

PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov.

Should you have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

Jason Proctor Examiner

Art Unit 2123

jsp

PAUL RODRIGUEZ
PACHY PATENT EXAMINER

SUPERVISORY PATENT CONTROL SUPERVISORY CENTER 2100